



Catalogues and Products > Air-Conditioning > Sigillanti, Additivi e Rilevatori di Perdite > **Electronic Leak Detector and UV**

## ELECTRONIC LEAK DETECTOR AND UV

The 2-in-1 leak detector

### Product informations

Electronic leak detector with heating sensor for accurate and fast detections without producing false alarms; the sensor with 15" flexible hose is equipped with a blue UV light on the tip of the probe which allows both UV and electronic detection of gas leakage. Thanks to the 5" sensor reducer it is able to detect very small leaks or difficult to spot.

### Product features

- it can be used for all refrigerant gases such as CFC, HCFC, HFC
- visual UV detection, through the use of a special tracer inserted in the refrigerant
- automatic heating
- reset function
- double colored device for visual check of leakage measurement
- battery consumption indicator
- equipped with UV light and 6 sensitivity levels
- supply with glasses

### Technical Features

<b>WORKING TEMPERATURE</b>	0°C ÷ 52°C
<b>HEATING TIME</b>	25 SECONDS
<b>MAXIMUM SENSITIVITY</b>	3 G/YEAR (1/10 OZ)



## Electronic Leak Detector and UV

<b>BATTERY LIFE</b>	8 HOURS PER CYCLE (1000 CYCLES)
<b>POWER SUPPLY</b>	2 C-SIZE 1,5 V NI-MH BATTERIES
<b>PROBE LENGTH</b>	15"
<b>DIMENSION</b>	7" X 7"
<b>SPARE SENSOR</b>	55500 - SEN

SKU	MODEL	PRICE
00000011655	UNIVERSAL UV LEAK DETECTOR	€705.2 VAT EXCLUDED
00000011657	SPARE ELECTRONIC SENSOR	€159.35 VAT EXCLUDED





## Electronic Leak Detector and UV

