



Catalogues and Products > Riscaldamento > Raccorderia per Gas > **Female Fitting for Copper Pipe**

FEMALE FITTING FOR COPPER PIPE

Brass model

Product informations

All-metal sealed compression fitting, equipped with a thread conforming to UNI EN 10226-1: "Threading of pipes for tight coupling on the thread."

Product features

- usable for heating, gas and sanitary water
- extreme simplicity of assembly
- suitable for contact with drinking water
- possibility of installation on civil and industrial systems
- *compatible for copper pipes for sanitary applications according to EN 1057*

Technical Features



Female Fitting for Copper Pipe

SKU	MEASURE	MATERIALS	APPLICATIONS
4920	Ø 10 MM X 3/8" F	<ul style="list-style-type: none"> • NUT: BRASS CW614N - UNI EN 12164 • OGIVE: BRASS CW603N - UNI EN 12164 • BODY: BRASS CW617N/CW612N - UNI EN 12165 	<ul style="list-style-type: none"> • DRINKING WATER: - 20°C ÷ + 120°C (MAX. 16 BAR) • DOMESTIC HOT WATER: - 20°C ÷ + 120°C (MAX. 16 BAR) • RADIATOR: - 20°C ÷ + 120°C (MAX. 16 BAR) • GAS: - 20°C ÷ + 70°C (MAX. 1 BAR)
4921	Ø 12 MM X 3/8" F		
4922	Ø 15 MM X 3/8" F		
4923	Ø 10 MM X 1/2" F		
4924	Ø 12 MM X 1/2" F		
4925	Ø 14 MM X 1/2" F		
4926	Ø 16 MM X 1/2" F		
4927	Ø 18 MM X 1/2" F		
4932	Ø 22 MM X 3/4" F		

SKU	MODEL	PRICE
00000004920	FEMALE FITTING FOR COPPER PIPE - Ø 10 MM X 3/8" F	€3.3 VAT EXCLUDED
00000004921	FEMALE FITTING FOR COPPER PIPE - Ø 12 MM X 3/8" F	€3.2 VAT EXCLUDED
00000004922	FEMALE FITTING FOR COPPER PIPE - Ø 14 MM X 3/8" F	€3.6 VAT EXCLUDED
00000004923	FEMALE FITTING FOR COPPER PIPE - Ø 10 MM X 1/2" F	€5.9 VAT EXCLUDED



Female Fitting for Copper Pipe

SKU	MODEL	PRICE
00000004924	FEMALE FITTING FOR COPPER PIPE - Ø 12 MM X 1/2" F	€6.5 VAT EXCLUDED
00000004925	FEMALE FITTING FOR COPPER PIPE - Ø 14 MM X 1/2" F	€7.85 VAT EXCLUDED
00000004926	FEMALE FITTING FOR COPPER PIPE - Ø 16 MM X 1/2" F	€9.0 VAT EXCLUDED
00000004927	FEMALE FITTING FOR COPPER PIPE - Ø 18 MM X 1/2" F	€6.2 VAT EXCLUDED
00000004932	FEMALE FITTING FOR COPPER PIPE - Ø 22 MM X 3/4" F	€11.9 VAT EXCLUDED

