



PN 16 FLANGED FILTER FOR METHANE GAS

F 1 - F 1,5 - F 2 cartridge model

Product informations

Cartridge filter for methane gas F 1 - F 1,5 - F 2 model, designed to detain the solid particles carried by the gas, protecting the entire system from possible obstruction.

Supplied with or without differential pressure gauge.

Technical Features

INLET PRESSURE	25 BAR
FILTERING DEGREE	5 MICRON
OPERATING TEMPERATURE	- 15°C ÷ + 60°C
MATERIALS	POLYESTER RESIN CARTRIDGE WITH METAL SUPPORT

OVERALL DIMENSIONS							
SKU	VERSION	INLET CONNECTION	OUTPUT CONNECTION	A	B	D	E
4473	F 1 - IN LINE	DN 40	DN 40	360 MM	285 MM	5"	-
4474	F 1 - IN LINE	DN 50	DN 50	360 MM	285 MM	5"	-


PN 16 Flanged Filter for Methane Gas

OVERALL DIMENSIONS							
4475	FG 1,5 - IN LINE WITH DIFFERENTIAL PRESSURE GAUGE	DN 50	DN 65	400 MM	-	-	-
4476	FG 1,5 - IN LINE WITH DIFFERENTIAL PRESSURE GAUGE	DN 50	DN 80	400 MM	-	-	-
4477	FG 2 - SQUARE WITH DIFFERENTIAL PRESSURE GAUGE	DN 65	DN 50	-	415 MM	8"	235 MM
4478	FG 2 - SQUARE WITH DIFFERENTIAL PRESSURE GAUGE	DN 80	DN 50	-	415 MM	8"	235 MM

SKU	MODEL	PRICE
00000004473	FLANGED FILTER FOR METHANE GAS MOD. F 1 IN LINE - DN 40 X DN 40 CONNECTIONS	€1748.0 VAT EXCLUDED
00000004474	FLANGED FILTER FOR METHANE GAS MOD. F 1 IN LINE - DN 50 X DN 50 CONNECTIONS	€1748.0 VAT EXCLUDED
00000004475	FLANGED FILTER FOR METHANE GAS MOD. FG 1,5 IN LINE WITH PRESSURE GAUGE - DN 50 X DN 65 CONNECTIONS	€2394.0 VAT EXCLUDED
00000004476	FLANGED FILTER FOR METHANE GAS MOD. FG 1,5 IN LINE WITH PRESSURE GAUGE - DN 50 X DN 80 CONNECTIONS	€2394.0 VAT EXCLUDED
00000004477	FLANGED FILTER FOR METHANE GAS MOD. FG 2 SQUARE WITH PRESSURE GAUGE - DN 65 X DN 50 CONNECTIONS	€2945.0 VAT EXCLUDED
00000004478	FLANGED FILTER FOR METHANE GAS MOD. FG 2 SQUARE WITH PRESSURE GAUGE - DN 80 X DN 50 CONNECTIONS	€2945.0 VAT EXCLUDED



PN 16 Flanged Filter for Methane Gas

