



## FLANGED FILTER FOR METHANE GAS PN16

G 1 cartridge model

### Product informations

Cartridge filter for methane gas G 1 model, designed to detain the solid particles carried by the gas, protecting the entire system from possible obstruction.

### Technical Features

<b>INLET PRESSURE</b>	8 BAR
<b>FILTERING DEGREE</b>	5 MICRON
<b>INLET CONNECTION</b>	<ul style="list-style-type: none"> <li>• DN 40 - <i>SKU 4505 / 4506</i></li> <li>• DN 50 - <i>SKU 4508 / 4509</i></li> </ul>
<b>OUTPUT CONNECTION</b>	<ul style="list-style-type: none"> <li>• DN 40 - <i>SKU 4505 / 4506</i></li> <li>• DN 50 - <i>SKU 4508 / 4509</i></li> </ul>
<b>OPERATING TEMPERATURE</b>	- 15°C ÷ + 60°C
<b>MATERIALS</b>	POLYESTER RESIN CARTRIDGE WITH METAL SUPPORT

<b>OVERALL DIMENSIONS</b>			
<b>SKU</b>	<b>VERSION</b>	<b>A</b>	<b>B</b>
4505	G 1 - IN LINE	215 MM	285 MM
4506	G 1 - SQUARE	140 MM	145 MM



## Flanged Filter for Methane Gas PN16

OVERALL DIMENSIONS			
4508	G 1 - IN LINE	215 MM	285 MM
4509	G 1 - SQUARE	140 MM	145 MM

SKU	MODEL	PRICE
00000004505	FLANGED FILTER FOR METHANE GAS G 1 IN LINE MODEL - DN 40 X DN 40 CONNECTIONS	€855.0 VAT EXCLUDED
00000004506	FLANGED FILTER FOR METHANE GAS G 1 IN SQUARE MODEL - DN 40 X DN 40 CONNECTIONS	€855.0 VAT EXCLUDED
00000004508	FLANGED FILTER FOR METHANE GAS G 1 IN LINE MODEL - DN 50 X DN 50 CONNECTIONS	€874.0 VAT EXCLUDED
00000004509	FLANGED FILTER FOR METHANE GAS G 1 IN SQUARE MODEL - DN 50 X DN 50 CONNECTIONS	€874.0 VAT EXCLUDED





## Flanged Filter for Methane Gas PN16

