



FLANGED FILTER FOR METHANE GAS PN16

G 1 cartridge model

Product informations

Cartridge filter for methane gas G 1 model, designed to detain the solid particles carried by the gas, protecting the entire system from possible obstruction.

Technical Features

INLET PRESSURE	8 BAR
FILTERING DEGREE	5 MICRON
INLET CONNECTION	<ul style="list-style-type: none"> • DN 40 - <i>SKU 4505 / 4506</i> • DN 50 - <i>SKU 4508 / 4509</i>
OUTPUT CONNECTION	<ul style="list-style-type: none"> • DN 40 - <i>SKU 4505 / 4506</i> • DN 50 - <i>SKU 4508 / 4509</i>
OPERATING TEMPERATURE	- 15°C ÷ + 60°C
MATERIALS	POLYESTER RESIN CARTRIDGE WITH METAL SUPPORT

OVERALL DIMENSIONS			
SKU	VERSION	A	B
4505	G 1 - IN LINE	215 MM	285 MM
4506	G 1 - SQUARE	140 MM	145 MM



Flanged Filter for Methane Gas PN16

OVERALL DIMENSIONS			
4508	G 1 - IN LINE	215 MM	285 MM
4509	G 1 - SQUARE	140 MM	145 MM

SKU	MODEL	PRICE
00000004505	FLANGED FILTER FOR METHANE GAS G 1 IN LINE MODEL - DN 40 X DN 40 CONNECTIONS	€855.0 VAT EXCLUDED
00000004506	FLANGED FILTER FOR METHANE GAS G 1 IN SQUARE MODEL - DN 40 X DN 40 CONNECTIONS	€855.0 VAT EXCLUDED
00000004508	FLANGED FILTER FOR METHANE GAS G 1 IN LINE MODEL - DN 50 X DN 50 CONNECTIONS	€874.0 VAT EXCLUDED
00000004509	FLANGED FILTER FOR METHANE GAS G 1 IN SQUARE MODEL - DN 50 X DN 50 CONNECTIONS	€874.0 VAT EXCLUDED





Flanged Filter for Methane Gas PN16

