



Catalogues and Products > Heating > Filtri per Gas > **Cartridge Filter for LPG/Methane Gas**

CARTRIDGE FILTER FOR LPG/METHANE GAS

Max inlet pressure 6 bar

Product informations

Device that detain the dust particles transported by the gas and protects the system from possible obstruction, inside there is a filtering cartridge made of washable and completely removable synthetic material for complete inspection, cleaning and/or replacement.

Product features

- differential pressure gauge already installed
- possibility of at right angles use

Replacement cartridges also available (sku 4422 / 4423 / 4424).

Technical Features

USE	NOT AGGRESSIVE GASES OF THE THREE FAMILIES (DRY GASES)
FLOW RATE	SEE DATA SHEET IN DOWNLOADS BELOW
MAX INLET PRESSURE	6 BAR
FILTRATION DEGREE	50 μ M



Cartridge Filter for LPG/Methane Gas

OPERATING TEMPERATURE	- 40°C ÷ + 70°C
INLET / OUTPUT CONNECTION	<ul style="list-style-type: none"> • Ø 1" - SKU 4416 • Ø 1" 1/2 - SKU 4417 • Ø 2" - SKU 4419
MATERIALS	BUILT IN ALUMINUM
PRESSURE GAUGE DIMENSIONS	112 X 75 X 78 MM (AXBXC)

OVERALL DIMENSIONS						
SKU	TYPE OF CONNECTION	A	B	C	D	E
4416	THREADED	160 MM	245 MM	140 MM	55 MM	78 MM
4417	THREADED	160 MM	245 MM	140 MM	55 MM	78 MM
4419	THREADED	160 MM	245 MM	140 MM	55 MM	78 MM

SKU	MODEL	PRICE
00000004416		€344.2 VAT EXCLUDED
00000004417		€341.75 VAT EXCLUDED
00000004419		€345.4 VAT EXCLUDED
00000004423	REPLACEMENT CARTRIDGE FOR FILTER SKU 4417	€25.0 VAT EXCLUDED
00000004424	REPLACEMENT CARTRIDGE FOR FILTER SKU 4419	€7.9 VAT EXCLUDED



Cartridge Filter for LPG/Methane Gas

