



Catalogues and Products > Air-Conditioning > Strumenti di Misura, Temperatura e Umidità > **Infrared Thermometer**

## INFRARED THERMOMETER

With laser positioning

### Product informations

The infrared thermometer allows to detect the temperature of a surface easily and accurately by measuring the infrared energy emitted by it, without having direct contact.

### Product features

- equipped with adjustable visual / acoustic alarm for high and low temperature, with response speed in 250 ms
- ability to preset and save 5 sets of emissivity values and quickly change the emissivity according to different surfaces to get more accurate results
- can be applied to the inspection of distribution/transportation equipment in the food industry
- backlit display with automatic switch-off
- data storage
- user defined visual and audible alarm
- low battery indication
- battery and carrying bag included

<i>THERMOMETER STRUCTURE</i>	
1	LASER POINTER
2	INFRARED SENSOR
3	TRIGGER



## Infrared Thermometer

<i>THERMOMETER STRUCTURE</i>	
4	BATTERY COMPARTMENT
5	TRIPOD SCREW HOLE
6	LCD DISPLAY
7	MODE BUTTON
8	SET BUTTON
9	HIGH/LOW TEMPERATURE ADJUSTMENT BUTTON
10	LASER BUTTON
11	"LASER WARNING" LABEL

<i>DISPLAY STRUCTURE</i>	
1	LOCK MEASUREMENT INDICATOR
2	BUZZER INDICATOR
3	TEMPERATURE MEASUREMENT INDICATOR
4	LOW BATTERY INDICATOR
5	TEMPERATURE MEASUREMENT INDICATOR
6	TEMPERATURE HOLD INDICATOR
7	TEMPERATURE UNIT INDICATOR
8	MAIN DISPLAY
9	AUXILIARY DISPLAY
10	EMISSIVITY INDICATOR
11	LASER POINTER



<i>DISPLAY STRUCTURE</i>	
12	MEASUREMENT MODE INDICATION

## Technical Features

<b>REPORT D:S</b>	12:1 (95%)
<b>TEMPERATURE RANGE</b>	- 32°C ± 420°C
<b>DISPLAY DIMENSIONS</b>	30 X 30 MM
<b>ACCURACY</b>	<ul style="list-style-type: none"> <li>• ±1,5°C OR ±1,5%</li> <li>• ±3,0°F OR ±1,5%</li> </ul>
<b>REPEATABILITY</b>	0,7°C OR 0,7% (1,5°F OR 0,7%)
<b>EMISSIVITY</b>	0,1 - 1,0(ADJUSTABLE, UP TO 5 SETS OF PRESET VALUES)
<b>RESPONSE TIME</b>	≤ 250 MS
<b>SELF-OFF</b>	15 S
<b>LASER</b>	SINGLE LASER CLASS 2 - WAVELENGTH 630-670 NM - OUTPUT POWER < 1 MW
<b>WORKING TEMPERATURE</b>	0°C ÷ + 50°C
<b>STORAGE TEMPERATURE</b>	- 20°C ÷ + 60°C
<b>OPERATING HUMIDITY</b>	R.H < 90% (WITHOUT CONDENSATION)
<b>DROP TEST</b>	1 M
<b>BATTERY</b>	9 V
<b>WEIGHT</b>	204 G
<b>TOTAL DIMENSIONS</b>	161 X 90 X 48 MM



**Infrared Thermometer**

SKU	MODEL	PRICE
00000R00476	INFRARED THERMOMETER	€123.35 VAT EXCLUDED

