



## MANUAL RESET SOLENOID VALVE FOR GAS

Normally open with manual closing safety button, max. pressure 500 mbar

### Product informations

Manual reset solenoid valve for gas, normally open with manually closed safety button.

### Product features

- *it can only be reset manually and only when it is not electrically powered*
- equipped with VPI (Visual Position Indicator) for visual signaling of the position of the valve plug
- when the valve is closed, the red band normally hidden by the reset knob is visible
- equipped with a button for manual closing of the solenoid valve, which can be used as a replacement element for a manually closing tap

### Technical Features

<b>USE</b>	NOT AGGRESSIVE GASES OF THE THREE FAMILIES (DRY GASES)
<b>ROOM TEMPERATURE</b>	- 20°C ÷ + 60°C
<b>SUPPLY VOLTAGES</b>	230 V 50 - 60 HZ (SINGLE-PHASE ONLY, THE APPLIANCE DOES NOT WORK IF POWERED THREE-PHASE)
<b>ELECTRICAL WIRING</b>	STRAIN RELIEF M20 X 1.5



## Manual Reset Solenoid Valve for Gas

<b>COIL</b>	7 VA (8 VA 1")
<b>ABSORBED POWER</b>	230 V = 7/8 VA
<b>MAXIMUM WORKING PRESSURE</b>	500 MBAR
<b>CLOSING TIME</b>	< 1 S
<b>DEGREE OF PROTECTION</b>	IP65 (PROTECTED AGAINST JETS OF WATER PUMPED FROM ANY DIRECTION AND COMPLETELY HERMETIC AGAINST DUST AND FUMES)
<b>MATERIALS</b>	BODY AND BLOCK COIL IN BRASS MONOBLOCK
<b>MECHANICAL STRENGTH</b>	GROUP 2
<b>CONNECTIONS</b>	1/2" FF - 3/4" FF - 1" FF
<b>COMPLIANCE</b>	<ul style="list-style-type: none"> <li>• EMC DIRECTIVE 2014/30/EU</li> <li>• LVD DIRECTIVE 2014/35/EU</li> <li>• ROHS II DIRECTIVE 2011/65/EU</li> </ul>

SKU	MODEL	PRICE
00000050561	MANUAL RESET SOLENOID VALVE FOR GAS - 1/2" FF - 500 MBAR	€77.8 VAT EXCLUDED
00000050562	MANUAL RESET SOLENOID VALVE FOR GAS - 3/4" FF - 500 MBAR	€77.8 VAT EXCLUDED
00000050563	MANUAL RESET SOLENOID VALVE FOR GAS - 1" FF - 500 MBAR	€98.6 VAT EXCLUDED

