



Catalogues and Products > Riscaldamento > Raccordi Saldabili Ed Elettrosaldabili, Utensili e Accessori >  
**Polyvalent Welding Machines**

# POLYVALENT WELDING MACHINES

Models TucaTuca Baby / TucaTuca Baby Evolution

## Product informations

Polyvalent electrofusion welders with optical reading with manual emergency mode, they are the ideal solution for the installer involved in the construction of PE systems for pressurized water and gas; multipurpose products for total freedom in choosing the electrofusion fittings to use. Suitable for the use of fittings up to a maximum diameter of 315 mm and simple to use by manually setting the values with the time/voltage method, or by using an optical pen or scanner, available as an option in the Evolution version. They can also be used in the welding of some brands of PPR fittings, mainly used in thermo-sanitary plant engineering.

Complete with bag in synthetic material and equipped with serial port for printer/pc.

### ***Available accessories***

- Optical pen kit for evolution version
- Scanner kit for evolution version

## Technical Features



## Polyvalent Welding Machines

<b>SKU 21607</b>	
<b>SINGLE-PHASE POWER SUPPLY</b>	230 V 50-60 HZ
<b>OUTPUT VOLTAGE</b>	8 ÷ 48 V
<b>MAX OUTPUT CURRENT</b>	95 AMP
<b>60% DUTY CYCLE OUTPUT</b>	55 AMP
<b>MAX INPUT POWER</b>	3,8 KVA
<b>WORKING RANGE</b>	20 ÷ 315 MM
<b>TEMPERATURE RANGE</b>	- 10°C ± 45°C
<b>OPERATING MODES</b>	BARCODE - MANUAL
<b>MANUAL SYSTEM</b>	TIME / VOLTAGE
<b>INTERNAL MEMORY</b>	300 REPORTS
<b>DEGREE OF PROTECTION</b>	IP54 (PROTECTED AGAINST SPLASHES OF WATER FROM ANY DIRECTION AND PROTECTED AGAINST DUST SUCH AS NOT TO INTERFERE WITH THE OPERATION OF THE DEVICE)
<b>DIMENSIONS</b>	290 X 190 X 250 MM
<b>WEIGHT</b>	17 KG
<b>EQUIPPED WITH OPTICAL READER SCANNER</b>	

<b>SKU 21611</b>	
<b>SINGLE-PHASE POWER SUPPLY</b>	230 V 50-60 HZ
<b>OUTPUT VOLTAGE</b>	8 ÷ 48 V


**Polyvalent Welding Machines**

<b>SKU 21611</b>	
<b>MAX OUTPUT CURRENT</b>	95 AMP
<b>60% DUTY CYCLE OUTPUT</b>	55 AMP
<b>MAX INPUT POWER</b>	3,8 KVA
<b>WORKING RANGE</b>	20 ÷ 315 MM
<b>TEMPERATURE RANGE</b>	- 10°C ± 45°C
<b>OPERATING MODES</b>	BARCODE - MANUAL
<b>MANUAL SYSTEM</b>	TIME / VOLTAGE
<b>INTERNAL MEMORY</b>	300 REPORTS
<b>DEGREE OF PROTECTION</b>	IP54 (PROTECTED AGAINST SPLASHES OF WATER FROM ANY DIRECTION AND PROTECTED AGAINST DUST SUCH AS NOT TO INTERFERE WITH THE OPERATION OF THE DEVICE)
<b>DIMENSIONS</b>	290 X 190 X 250 MM
<b>WEIGHT</b>	17 KG

<b>SKU</b>	<b>MODEL</b>	<b>PRICE</b>
00000021608	LIGHT PEN KIT	ON REQUEST
00000021609	SCANNER KIT	ON REQUEST
00000021611	WELDING MACHINE MOD. TUCA BABY	€3577.35 VAT EXCLUDED



## Polyvalent Welding Machines

