



Catalogues and Products > Heating > Gas and Fire Detectors > **PORTABLE GAS DETECTORS**

PORTABLE GAS DETECTORS

Models FG110 and CO110

Product informations

FG 110, the portable leak detector for natural gas, LPG and carbon monoxide, designed to provide efficient and reliable quality performance.

Product features

- easy to use
- indication of the gas leak in ppm, %VOL (limit concentration of gas (in the air) for the gas to catch fire or explode, expressed as a percentage by volume in the air) o %LEL (limit concentration of gas (in the air) necessary for the gas to ignite or explode)
- equipped with Hold-Min-Max function
- backlight
- alarm (from 1000 to 10000 ppm)
- configurable auto power off

Kit supplied with

- calibration report
- transport case
- Instructions for use

CO110, the portable carbon monoxide detector with a 4-line display that makes it easy to measure the carbon monoxide content of ambient air.



Product features

- equipped with electro-chemical sensor
- display of CO max
- 2 configurable alarm thresholds
- easy to use
- adjustable backlighting
- adjustable and resettable auto switch-off
- Hold function

Kit supplied with

- calibration report
- transport case
- Instructions for use

Technical Features

<i>SKU R02712</i>	
<i>DETECTABLE GASES</i>	LPG / CH ₄ / HYDROCARBONS
<i>MEASURING ELEMENT</i>	SEMI-CONDUCTOR SENSOR
<i>PROBE</i>	FLEXIBLE, LENGTH 330 MM, Ø 16 MM
<i>POWER SUPPLY</i>	4 BATTERIES AAA LR03 1.5 V
<i>ENVIRONMENT</i>	NEUTRAL GAS
<i>WORKING TEMPERATURE</i>	0°C ÷ + 50°C
<i>AUTO SWITCH OFF</i>	ADJUSTABLE FROM 0 TO 120 MIN



PORTABLE GAS DETECTORS

SKU R02712	
DISPLAY	<ul style="list-style-type: none"> • 4 LINES, LCD TECHNOLOGY - DIMENSIONS 50 X 36 MM • 2 LINES OF 5 DIGITS WITH 7 SEGMENTS (VALUE) • 2 LINES OF 5 DIGITS WITH 16 SEGMENTS (UNITS)
DEGREE OF PROTECTION	IP54 (PROTECTED AGAINST SPLASHING WATER FROM ANY DIRECTION AND PROTECTED AGAINST DUST, SUCH THAT IT CANNOT INTERFERE WITH THE OPERATION OF THE DEVICE)
CASE	ABS
KEYBOARD	5 KEYS
AUTONOMY	20 HOURS
DIMENSIONS	147,9 X 71,5 X 34,2 MM (HXWXD)
WEIGHT	295 G


PORTABLE GAS DETECTORS

<i>SKU R02731</i>	
MEASURING ELEMENTS	<ul style="list-style-type: none"> • CO - ELECTRO-CHEMICAL SENSOR • TEMPERATURE: NTC
DISPLAY	<ul style="list-style-type: none"> • 4 LINES, LCD TECHNOLOGY, DIMENSIONS 50 X 36 MM • 2 LINES OF 5 DIGITS WITH 7 SEGMENTS (VALUE) • 2 LINES OF 5 DIGITS WITH 16 SEGMENTS (UNITS)
CABLE	RETRACTABLE, LENGTH 0.45 M, EXTENSION 2.4 M
CASE	ABS - IP54 DEGREE OF PROTECTION (PROTECTED AGAINST SPLASHING WATER FROM ANY DIRECTION AND PROTECTED AGAINST DUST, SUCH THAT IT CANNOT INTERFERE WITH THE OPERATION OF THE DEVICE)
KEYBOARD	5 KEYS
POWER SUPPLY	4 X AAA LR03 1.5 V BATTERIES
BATTERY LIFE	200 HOURS
ENVIRONMENT	NEUTRAL GAS
WORKING TEMPERATURE	0°C ÷ + 50°C
STORAGE TEMPERATURE	- 20°C ÷ + 80°C
AUTO SWITCH-OFF	ADJUSTABLE FROM 0 TO 120 MIN
DIMENSIONS	71,5 X 147,9 X 34,2 X 76,7 MM (AXBXCXD)
WEIGHT	310 G

SKU	MODEL	PRICE
00000R02712	PORTABLE DETECTOR MOD. FG 110 - LPG / CH4 / HYDROCARBONS	€520.4 VAT EXCLUDED
00000R02731	PORTABLE DETECTOR MOD. CO110 - CO	€847.4 VAT EXCLUDED



PORTABLE GAS DETECTORS

