



SMOKES PYROMETER

For thermal systems

Product informations

Smokes pyrometer equipped with galvanized steel case and rear connection with front ring in chromed steel; suitable for installation in the pipes of heating systems, flues, ovens or where high temperatures are present and required.

Spring for fixing is also available (SKU R01575).

Technical Features

<i>SKU R02068 / R02073 / R02074</i>	
OPERATING TEMPERATURE	<ul style="list-style-type: none"> • ENVIRONMENT: - 20°C ÷ + 60°C • FLUID: 0°C ÷ + 500°C • STORAGE: - 20°C ÷ + 60°C
ACCURACY CLASS	CL. 2
DEGREE OF PROTECTION	IP43 PER EN 60 529 / IEC 529 (PROTECTED AGAINST WATER SPRAYED AT AN ANGLE WITHIN ± 60° AND PROTECTED AGAINST THE ENTRY OF SOLID OBJECTS LARGER THAN 1 MM)
MATERIALS	<ul style="list-style-type: none"> • CASE IN GALVANIZED STEEL • CHROMED STEEL RING • STEM IN GALVANIZED STEEL Ø 9 MM, WITHOUT SHEATH



Smokes Pyrometer

<i>SKU R02068 / R02073 / R02074</i>	
<i>THERMOMETRIC ELEMENT</i>	BIMETALLIC SPIRAL
<i>STEM DIMENSIONS</i>	FROM 150 MM TO 300 MM
<i>QUADRANT DIAMETER</i>	Ø 63 MM
<i>WEIGHT</i>	0.095 KG
<i>REFERENCE RULE</i>	EN 13190

<i>SKU R01575</i>	
<i>MATERIAL</i>	GALVANIZED BURNISHED STEEL FOR STEM ≥ 50 MM
<i>WEIGHT</i>	0.010 KG

SKU	MODEL	PRICE
00000R01575	SPRING	€1.48 VAT EXCLUDED
00000R02068	PYROMETER - STEM 150 MM	€13.7 VAT EXCLUDED
00000R02073	PYROMETER - STEM 200 MM	€14.2 VAT EXCLUDED
00000R02074	PYROMETER - STEM 300 MM	€15.05 VAT EXCLUDED



Smokes Pyrometer

