



PROFESSIONAL TWO STAGE PUMP

Models DS 1 / 2 / 3 / 4

Product informations

DS Series professional two stage pumps high reliability, suitable for all plants where vacuum operation is needed.

Product features

- ON/OFF switch
- oil level indicator
- plug feeding cable
- transport ergonomic handle
- vacuum gauge Ø 80 mm
- solenoid valve

Pump components

- oil fitting cap
- oil breather cap (overpressure)
- checking glass (oil level)
- die-cast aluminium shell
- oil drain cap
- rubber gasket
- base
- motor
- fan cover
- power switch
- handle



Professional Two Stage Pump

Technical Features

	DS-1	DS-2	DS-3	DS-4
DIMENSIONS	308X124X230 MM (WDXH)	315X124X240 MM (WDXH)	335X138X250 MM (WDXH)	395X145X270 MM (WDXH)
WEIGHT	7,5 KG	8,6 KG	11,4 KG	17,0 KG
FLOW RATE	42 L/MIN	70 L/MIN	128 L/MIN	226 L/MIN
FINAL VACUUM	25 MICRON	25 MICRON	25 MICRON	15 MICRON
VOLTAGE	230V - 50-60 HZ	230V - 50-60 HZ	230V - 50-60 HZ	230V - 50-60 HZ
QUANTITY OF OIL	200 ML	250 ML	330 ML	500 ML

SKU	MODEL	PRICE
00000011165	PROFESSIONAL TWO STAGE PUMP MOD. DS1	€386.3 VAT EXCLUDED
00000011167	PROFESSIONAL TWO STAGE PUMP MOD. DS2	€431.55 VAT EXCLUDED
00000011169	PROFESSIONAL TWO STAGE PUMP MOD. DS3	€563.95 VAT EXCLUDED
00000011170	PROFESSIONAL TWO STAGE PUMP MOD. DS4	€881.2 VAT EXCLUDED





Professional Two Stage Pump

