



[Catalogues and Products](#) > [Riscaldamento](#) > [Guaine Spiralate Corrugate, Estensibili e Termoretraibili](#) >

Tecnogas Shrink-Wrapped Sleeves

TECNOGAS SHRINK-WRAPPED SLEEVES

For water and gas pipes

Product informations

Shrink-wrapped sleeves made with a very fine irradiated polyolefin compound and a butyl composite mastic with very high adhesiveness and dielectric strength. The excellent resistance to UV rays, salts, acids, alkalis, various oils, greases and solvents makes these products among the best in the field of passive protection of any metal material to be bury.

Product features

- corrosion protection
- high insulation and sealing properties
- MB type self-marginal
- UV resistance
- high shrink ratio
- excellent chemical resistance and unlimited durability

Applications

- corrosion protection of water and gas pipes
- anchoring systems protection
- general corrosion protection



Technical Features

SHRINKING RATIO	3:1
WORKING TEMPERATURE	- 55°C ÷ + 110°C
COLOR	BLACK (STANDARD)
MINIMUM SHRINKING START TEMPERATURE	120°C
MATERIAL	ROHS COMPLIANT - UV RESISTANT
MECHANICAL RESISTANCE CLASS	B-50

SLEEVE SKU	Ø INTERNAL	SIZE AFTER RETREAT		LENGTH
		Ø INTERNAL	THICKNESS	
50980	Ø 55 MM	16 MM	2,70 MM	1000 MM
50982	Ø 65 MM	19 MM	2,80 MM	1000 MM
50984	Ø 85 MM	25 MM	3,00 MM	1000 MM
50986	Ø 115 MM	34 MM	3,00 MM	1000 MM
50990	Ø 160 MM	50 MM	3,00 MM	1000 MM
50992	Ø 180 MM	65 MM	3,00 MM	450 MM

SKU	MODEL	PRICE
00000050980	SHRINK - WRAPPED SLEEVE - Ø 55 - 16 MM - L. 1000 MM	€28.6 VAT EXCLUDED



Tecnogas Shrink-Wrapped Sleeves

SKU	MODEL	PRICE
00000050982	SHRINK - WRAPPED SLEEVE - Ø 65 - 19 MM - L. 1000 MM	€31.0 VAT EXCLUDED
00000050984	SHRINK - WRAPPED SLEEVE - Ø 85 - 25 MM - L. 1000 MM	€42.25 VAT EXCLUDED
00000050986	SHRINK - WRAPPED SLEEVE - Ø 115 - 34 MM - L. 1000 MM	€52.1 VAT EXCLUDED
00000050990	SHRINK - WRAPPED SLEEVE - Ø 160 - 50 MM - L. 1000 MM	€88.8 VAT EXCLUDED
00000050992	SHRINK - WRAPPED SLEEVE - Ø 180 - 65 MM - L. 450 MM	€45.4 VAT EXCLUDED

