



Catalogues and Products > Heating > Thermostats and Chronothermostats > **Electronic Thermoregulator for Fireplaces**

ELECTRONIC THERMOREGULATOR FOR FIREPLACES

TC110 model

Product informations

Thermoregulator designed to allow complete and effective management of the heating system in which the closed fireplace is inserted.

Through its inputs it is possible to detect:

- system discharge temperature
- system return temperature
- temperature of the boiler/sanitary water tank
- flow switch consent domestic water withdrawal

Through the outputs it is possible to control the devices present in the system:

- system pump
- circulation pump/electrovalve
- consent gas boiler
- service

TERMINAL SKU 80705	
1-2	POWER SUPPLY 230 VAC; FUSE T3, 15 A
3-4	PUMP 230 VAC MAX 3A
5-6-7	ELECTROVALVE/SERV 230 VAC MAX 3A



Electronic Thermoregulator for Fireplaces

<i>TERMINAL SKU 80705</i>	
8-9-10	AUX FREE CONTACTS MAX 3A
S1	NTC 10K FIREPLACE/STOVE PROBE
S2/FL	FLOW SWITCH/ACS THERMOSTAT

<i>TERMINAL SKU 80701</i>	
1-2	POWER SUPPLY 230 VAC; FUSE T3, 15 A
3-4	PUMP 230 VAC MAX 3A
5-6-7	ELECTROVALVE/SERV 230 VAC MAX 3A
S1	NTC 10K FIREPLACE/STOVE PROBE
S2/FL	FLOW SWITCH/ACS THERMOSTAT

Technical Features

POWER SUPPLY	230/115 VAC 50/60 HZ
INPUTS	<ul style="list-style-type: none"> • ELETRONIC SENSOR • PROBES • ROOM THERMOSTAT • FLOW SWITCH
TEMPERATURE RANGE	- 40°C ÷ + 120°C / 260°C
OUTPUTS	MAX 4 OUTPUTS - ON/OFF 5A 250 VAC
DIMENSIONS	3 MODULES



Electronic Thermoregulator for Fireplaces

SKU	MODEL	PRICE
00000080701	THERMOREGULATOR MOD. TC110 - 2 OUTPUTS	€104.0 VAT EXCLUDED
00000080705	THERMOREGULATOR MOD. TC110 - 3 OUTPUTS	€108.0 VAT EXCLUDED

