



Catalogues and Products > Air-Conditioning > Attrezzature per Vuoto e Carico > **DigiPress Classic**

## DIGIPRESS CLASSIC

Digital manifold

### Product informations

The **DigiPress Classic** digital manifold assembly is a precision electronic instrument suitable for all refrigerant gases that allows for highly accurate verification of the state of system vacuum, charge and relative operating temperature of the refrigerant gas. The system adapts to any type of vacuum pump through special fittings and/or hoses; moreover, making use of extremely small sizes and weights, put the operator in a position to work very nimbly and perform all vacuum, loading and diagnosis operations using a single tool!

### Product features

- soft and comfortable design shell, impact resistant
- large backlit LCD display for easy reading, making it suitable even for low-light environments
- equipped with high-precision pressure and temperature sensor for high measurement accuracy
- designed with high-quality electronic components that greatly improve battery life
- real-time temperature measurement can calculate overheating and subcooling
- multiple mode selection can also be used for vacuum measurement
- the units of pressure MPa, kPa, bar, psi, and °C or °F can be changed as desired to suit the customer's usage habits

### The kit includes

- 4 ways digital manifold
- 2 temperature sensor with clamp
- 1 yellow pipe for vacuum: L. 150 cm connection 1/4" F SAE
- 1 red pipe for vacuum: L. 150 cm connection 1/4" F SAE



## DigiPress Classic

- 1 blue pipe for vacuum: L. 150 cm connection 1/4" F SAE
- 2 SAE M 1/4" adapter - F 5/16"
- shockproof plastic case
- instruction manual
- 2 PTFE spare gasket and one push-valve
- power cable

## Technical Features

|  |   |
|--|---|
| <b>USABLE IN GASES</b>                             | R12 - R13 - R14 - R22 - R424A - R23 - R114 - R123 - R134A - R502 - R290 - R401A - R401B - R402A - R427A - R402B - R404A - R406A - R407A - R503 - R407C - R408A - R409A - R410A - R434A - R414A - R416A - R417A - R420A - R507 - R421A - R422A - R422B - R422D - R437A 7 R718 - R32 - R115 - R403B - R423A - R1234YF |
| <b>PRESSURE READING</b>                            | PSI, BAR, MPA, KPA, MM, HG  |
| <b>TEMPERATURE READING</b>                         | °F OR °C  |
| <b>UNIT OF MEASUREMENT VACUUM</b>                  | MBAR / MICRON   |
| <b>MAXIMUM WORKING PRESSURE LOW PRESSURE GAUGE</b> | 34 BAR / 55PSI / 3400KPA / 3,4MPA - SAFETY SHUT-OFF > 40 BAR  |
| <b>MAXIMUM WORKING PRESSURE GAUGE OF HIGH</b>      | 55 BAR / 800PSI / 5500KPA / 5,5 MPA - SAFETY SHUT-OFF > 60 BAR  |
| <b>PRESSURE INDICATOR RESOLUTION</b>               | 0,001 BAR / 0,5 PSI / 0,001 MPA / 1,0 KPA   |
| <b>POWER SUPPLY</b>                                | 2 AA BATTERIES  |
| <b>CONNECTIONS PITCH</b>                           | 1/4" SAE  |
| <b>WEIGHT</b>                                      | 3,65 KG   |



**DigiPress Classic**

|                   |                       |
|-------------------|-----------------------|
| <b>DIMENSIONS</b> | 162X235X69 MM (LXWXD) |
|-------------------|-----------------------|

| SKU         | MODEL                                | PRICE                |
|-------------|--------------------------------------|----------------------|
| 00000011437 | DIGIPRESS CLASSIC                    | €592.05 VAT EXCLUDED |
| 00000011439 | TAP 1/4 SAE F X 1/4 SAE F.G.         | €42.6 VAT EXCLUDED   |
| 00000011460 | FAUCET 1/4 SAE F.G. - FOR 45° OUTPUT | €55.2 VAT EXCLUDED   |

